

### GPS Small Patch Antenna

---

- **GPS Active Antenna**
- **25dB Gain**
- **High Sensitivity**
- **Low current consumption**
- **Dual Voltage**
- **Suitable for embedded applications**



ADA-12J is a most compact GPS antenna module in the market. It's specially designed for the portable device that needs GPS antenna embedded such as PND, laptop, mobile phone and so on. Also, ADA-12J is compatible with most GPS receives available on the market and provides a perfect alternative for the application of the GPS in different fields.

## Specification

Category	GPS
Frequency	1575.42 ± 3 MHz
Polarization	R.H.C.P.
Antenna Gain	Typ. 1.0 dBic
Bandwidth	5 MHz min @S11-10 dB.
	LNA
Amplifier Gain	Typ 25 dB
Noise figure	Typ 1.5 dB
Output Impedance	50 Ω
VSWR	< 2.0:1
	Electrical Specifications
Supply Voltage	2.8-3.7 VDC
Power consumption	6.5 mA (3.0V DC)
Total Gain	25 dB
Impedance	50 Ω
VSWR	< 2.0 : 1
RF Cable	5cm OD 1.13 (std)
Connector	U.FL (std)
	Overall Performance
GPS part size	12 x 12 x 6.5 mm
Weight	5 ± 0.5 grams
Mounting	Sticky tape
Operating temperature	-40 — +85 ° C
Storage temperature	-40 — +85 ° C

## Ordering codes

TYPE	Description	Comment
ADA-12J	Cable Length and Connector	GPS Patch antenna

For the latest updates, visit our Web site: [www.adactus.se](http://www.adactus.se)

### **Disclaimer**

Information furnished is believed to be accurate and reliable. However, Adactus assumes no responsibility for the consequences of use of such information nor for any infringement of patents or other rights of third parties which may result from its use.

Adactus reserves the right to make changes without further notice to any product herein to improve reliability, function or design. Adactus does not assume any liability arising out of the application or use of any product described herein.

This publication supersedes and replaces all information previously supplied.

Adactus products are not authorized as critical components in life support devices or systems.