

## Covert I-Bar GSM/3G Antenna

---

- **GSM/3G antenna**
- **850/900/1800/1900/2100 MHz bands**
- **2.5 dBi Gain**
- **Small dimension**



ADA-PH001 is a five band small dimension GSM/3G antenna suitable for covert applications.

It's complete with cable and connector.



### Specification ADA-PH001

Category	Overall performance
Frequency	824 – 969 & 1710 – 2170 MHz
Impedance	50 $\Omega$
Gain	2.5 dB
VSWR	< 2,0:1
Polarization	Vertical
Material	PCB
Antenna dimension	64x 9 x 3 mm (LWH) Cable length 1.5m
Operating temperature	-20 to +70 C

## Ordering codes

TYPE	Description	Comment
ADA-PH001-3G	Small size antenna	GSM Five Band

For the latest updates, visit our Web site: [www.adactus.se](http://www.adactus.se)

### **Disclaimer**

Information furnished is believed to be accurate and reliable. However, Adactus assumes no responsibility for the consequences of use of such information nor for any infringement of patents or other rights of third parties which may result from its use.

Adactus reserves the right to make changes without further notice to any product herein to improve reliability, function or design. Adactus does not assume any liability arising out of the application or use of any product described herein.

This publication supersedes and replaces all information previously supplied.

Adactus products are not authorized as critical components in life support devices or systems.